

**IN-STOCK**  
5 Day Shipment  
www.1proline.com




**2005**

**IN-STOCK**  
5 Day Shipment

Toll Free: 800-739-9067  
Local: 978-521-2600

The Leading Edge in Modular Ergonomics



THE "MODEL HD"



THE "MILLENNIUM"

Quality Ergonomics at a Price Any Company Can Afford.  
Professional Independent Workstations.  
ESD, Clean Room or to Your Own Design.  
*America's Favorite! In Stock*

Electric Vertical Adjust Workstation  
"State of the Art"  
*In Stock*



The "ERGO LINE"

Hand Crank Height Adjustment  
*In Stock*

**Basic Models**

Model HD 60" L x 30" W x 30" H			Model HD 72" L x 30" W x 30" H		
STOCK NO.	TOP	Wgt. (lbs)	STOCK NO.	TOP	Wgt. (lbs)
HD6030P	Plastic	115	HD7230P	Plastic	130
HD6030C	Conductive	115	HD7230C	Conductive	130
HD6030M	Maple	124	HD7230M	Maple	145
Model HD 60" L x 36" W x 30" H			Model HD 72" L x 36" W x 30" H		
STOCK NO.	TOP	Wgt. (lbs)	STOCK NO.	TOP	Wgt. (lbs)
HD6036P	Plastic	125	HD7236P	Plastic	140
HD6036C	Conductive	125	HD7236C	Conductive	140
HD6036M	Maple	162	HD7236M	Maple	184
Model Ergoline 60" L x 30" W x 30" H to 42" H			Model Ergoline 72" L x 30" W x 30" H to 42" H		
STOCK NO.	TOP	Wgt. (lbs)	STOCK NO.	TOP	Wgt. (lbs)
EL6030P	Plastic	140	EL7230P	Plastic	155
EL6030C	Conductive	140	EL7230C	Conductive	155
EL6030M	Maple	175	EL7230M	Maple	192
Model MVSII 60" L x 30" W (Light Blue Only)			Model MVSII 72" L x 30" W (Light Blue Only)		
STOCK NO.	TOP	Wgt. (lbs)	STOCK NO.	TOP	Wgt. (lbs)
MVSI6030P	Plastic	210	MVSI7230P	Plastic	230
MVSI6030C	Conductive	210	MVSI7230C	Conductive	230
MVSI6030M	Maple	240	MVSI7230M	Maple	272

**Optional In Stock Modular Accessories For Quick Ship Stations**

No.	Description	For 60" L x 30" W		Optional In Stock Modular Accessories For Quick Ship Stations	For 72" L x 30" W	
		Stock #	Weight		Stock #	Weight
1	Accessory Upright Supports (one pair) Extend 48" above surface	UR60	20		UR60	20
2	Overhead Light Frame with 2 bulb fixture	OLF60	27		OLF72	28
3	12" Deep Cantilever Shelf	CSPL1260P	30		CSPL1272P	36
3A	12" Deep Cantilever Shelf ESD	CSPL1260C	30		CSPL1272C	36
3B	18" Deep Cantilever Shelf	CSPL1860P	35		CSPL1872P	40
3C	18" Deep Cantilever Shelf ESD	CSPL1860C	35		CSPL1872C	40
4	Bin Holder	BH60	6		BH72	7
5	Air Supply (mounts ESMR)	AGDC	1.5		AGDC	1.5
6	Footrest	FR60	7		FR72	8
7	Power Supply (8 outlets 15 amp 120 volt)	ES48	4.5		ES48	4.5
8	Electrical Supply Mounting Rail	ESMR60	6		ESMR72	7
9	6" Drawer includes lock (Steel housing with laminate drawer face)	MDS6	26		MDS6	26
10	12" Drawer includes lock (Steel housing with laminate drawer face)	MDS12	38		MDS12	38
	Drawer Hanging Kit (one per station required with drawers, POWS or DP-1)	HK	0.52		HK	0.52
11	Ground Kit for Conductive Stations includes two banana jacks	SGK-J2	0.5		SGK-J2	0.5
12	Wrist Strap (requires SGK-J2)	SGS-4	0.25		SGS-4	0.25
13	Footrest Guard	FRG60	0.5		FRG72	0.5
14	Articulating Monitor Arm	MA-1	19		MA-1	19
15	Articulating Bin Arm	ABH-1	19		ABH-1	19
16	Tool Suspension Frame II (mounts to OLF)	LTF60	13		LTF72	14
17	Tool Balancer (mounts to LTF)	TB-5	6		TB-5	6
18	Pull Out Writing Shelf	POWS	12		POWS	12
19	6" Leg Extenders (Model HD only) 6" adjustment	HDLE-6	8		HDLE-6	8
20	3 Diopter Inspection Light	MAG1	9		MAG1	9
21	Inspection Light Mounting Bracket	LOMB	1		LOMB	1
22	Pad Lock Drawer (Light Blue Only)	DP-1	13		DP-1	13
<b>Optional In Stock Work Surfaces Up Charge</b>						
23	90 degree rolled front edge upcharge	PF	N/A		PF	N/A






















*Proline offers the widest variety of workstations and accessories in the market. All our workstations offer the stability and durability for tough jobs yet incorporate the esthetics and the ergonomic features often missing in the workplace. Quality and a more pleasant environment all at an affordable price. Choose from the modular accessories shown here or call the factory for ideas of your own. All three models are free standing for future reconfiguration.*

Call **ProLine** For Details on other Popular Products and Accessories.

Toll Free: 800-739-9067 Local: 978-521-2600

ELECTRIC WIRE HARNESS STATION	THE BASIC	RETRACTABLE BALL TRANSFERS	MOBILE RETRACTABLE BALL TRANSFERS	MODULAR LAN STATIONS
				
RISER AND PAD LOCK DRAWER	RISER	RISER EXTENSIONS	FOUR POST HEIGHT ADJUSTABLE	PACKAGING WORKSTATIONS
				
SPLIT UPRIGHT SYSTEM	LAMINAR FLOW STATION	DROP IN BALL TRANSFERS	TECHNICAL WORKSTATION (COCKPIT STATION)	PROGRESSIVE ASSEMBLY
		 Conveyor not included		
OVERHEAD LIGHTING	SUSPENDED WORKSURFACE/SHELF	ERGONOMIC POSITIONING AUXILIARY WORKSURFACE	CANTILEVER TOOL BALANCER	PEDESTAL STATIONS
				
BACK LIGHT STATIONS	LOUVERED PANELS (FOR MOUNTING BINS)	30-BIN HORIZONTAL SORTER	CPU HOLDER	PULL OUT KEYBOARD
	 34" high			

E-mail [bench@1proline.com](mailto:bench@1proline.com)

COMPUTER TABLES		SLANTED WIRE SHELF		PULL OUT WRITING SHELF		END PANEL			
				 12"W x 18"D. 30 lbs. capacity		 STEEL			
MODESTY PANEL		GUARD RAIL		SLIDING DOOR CABINET		FLUSH MOUNT LAZY SUSAN		FREE STANDING FOOTREST	
		 14.5" x 13.75" ID		 18" diameter					
CORKBOARD / TACK BOARD		0° - 30° WORK SURFACE TILT MECHANISM		PAPER CUTTER		BUILT IN SCALE SHELF		BIN HOLDER CART	
									
KITTING CART		PACKAGING WORK BENCH		PACK STAND		PRO-FLOW BELT CONVEYOR STATION		FIXED BALL TRANSFER TABLES	
							 800 lbs. capacity		
MOBILE STORAGE CARTS		CORNER UNITS		LAZY SUSAN		CABINET BENCH			
				 18" diameter Model LS18-16					



# DIMENSION NEXT

**UNSURPASSED QUALITY FOR  
ASSEMBLY, LAB, R&D, RESEARCH ENVIRONMENTS**

**Top quality finish meets modular ergonomic function with a price that is still affordable.**

Solid slotted aluminum uprights allows work surface or optional accessories to be mounted anywhere along column. Heavy gauge steel frame bolts to top supports adding strength to the work surface and lateral support to the station. Textured beige powder coat finish with blue accents strips offers a durable finish with superior esthetics. Stations are 82" over all height. Work surfaces and optional accessories adjust independently of each other on double sided stations. 1000 lbs. capacity.

- Single sided starter station includes two uprights, two horizontal leg supports, one top frame assembly and one 180 degree front edge work surface with standard or ESD laminate.

- Single sided add on station includes one upright, one horizontal leg support, one top frame assembly and one 180 degree front edge work surface with standard or ESD laminate.
- Double sided starter station includes two uprights, two back to back horizontal leg supports, two top frame assemblies and two 180° work surfaces with standard or ESD laminate.
- Double sided add on station includes one upright, one back to back horizontal leg support, two top frame assemblies and two 180 degree front edge work surfaces with standard or ESD laminate.

## BASIC WORK STATIONS

**In Stock 60" & 72" Long**

PART NO.	Plastic Laminate	ESD Laminate
DN6030SS 60"L x 30"W Single Starter	DN6030SSPL 60"L x 30"W Wgt. (lbs) 198	DN6030SSESD 60"L x 30"W Wgt. (lbs) 198
DN7230SS 72"L x 30"W Single Starter	DN7230SSPL 72"L x 30"W Wgt. (lbs) 217	DN7230SSESD 72"L x 30"W Wgt. (lbs) 217
DN6030SA 60"L x 30"W Single Add On	DN6030SAPL 60"L x 30"W Wgt. (lbs) 148	DN6030SAESD 60"L x 30"W Wgt. (lbs) 148
DN7230SA 72"L x 30"W Single Add On	DN7230SAPL 72"L x 30"W Wgt. (lbs) 168	DN7230SAESD 72"L x 30"W Wgt. (lbs) 168
PART NO.	Plastic Laminate	ESD Laminate
DN6030DS 60"L x 30"W Double Starter	DN6030DSPL 60"L x 30"W Wgt. (lbs) 198	DN6030DSESD 60"L x 30"W Wgt. (lbs) 198
DN7230DS 72"L x 30"W Double Starter	DN7230DSPL 72"L x 30"W Wgt. (lbs) 360	DN7230DSESD 72"L x 30"W Wgt. (lbs) 360
DN6030DA 60"L x 30"W Double Add On	DN6030DAPL 60"L x 30"W Wgt. (lbs) 260	DN6030DAESD 60"L x 30"W Wgt. (lbs) 260
DN7230DA 72"L x 30"W Double Add On	DN7230DAPL 72"L x 30"W Wgt. (lbs) 300	DN7230DAESD 72"L x 30"W Wgt. (lbs) 300

## OPTIONAL ACCESSORIES FOR THE DIMENSION NEXT

Dimension next optional modular accessories allow you to configure your station to meet your needs. Easily adjustable in the field the Dimension next options adjust anywhere along upright. Adjustments are made with handles included in the price of the options. No tools are required to make adjustments. All of the model DN options are painted with a textured powder coat finish for years of use.

PART NO.	DESCRIPTION	WGT. (LBS)	PART NO.	DESCRIPTION	WGT. (LBS)
DNFR60	Height adjustable and pivoting footrest pan fits 60" long DN stations. (beige/black)	27	DNOLF60	Over head light fixture and frame. Price includes dual bulb fixture with lighted on/off switch and a 9' long cord, for a 60" long DN station.	30
DNFR72	Height adjustable and pivoting footrest pan fits 72" long DN stations (beige/black)	33	DNOLF72	Over head light fixture and frame. Price includes dual bulb fixture with lighted on/off switch and a 9' long cord, for a 72" long DN station. (black/beige)	32
DNES60	Power supply with 8 outlets, lighted on/off switch, built in circuit breaker and 6' long cord. Fits 60" long DN stations. (beige/black)	16	DNAMS1260	Adjustable metal shelf 12" deep x 60" long. Beige shelf with black mounting brackets.	32
DNES72	Power supply with 8 outlets, lighted on/off switch, built in circuit breaker and 6' long cord. Fits 72" long DN stations. (beige/black)	20	DNAMS1272	Adjustable metal shelf 12" deep x 72" long. Beige shelf with black mounting brackets.	39
DNBH48	Bin Holder for a 48" long DN station. (black)	10	MDS6	Modular Drawer 6" high x 15" wide x 19.25" long. Price includes lock. Features include roller bearing guide and laminate drawer face with rounded corners. Beige	26
DNBH60	Bin Holder for a 60" long DN station. (black)	13	MDS12	Modular Drawer 12" high x 15" wide x 19.25" long. Price includes lock. Features include roller bearing guide and laminate drawer face with rounded corners. Beige	38
DNBH72	Bin Holder for a 72" long DN station. (black)	16	HK	Drawer Hanging Kit (one required per station with drawers.)	1.15
DNCCUP	Corner Unit for 30" deep model DN	25	SGK-J2	Standard Ground Kit with 2 banana jacks. (For ESD stations only)	0.5
DNCCUC	Corner Unit for 30" deep model DN	25			



(each row requires one starter unit)

[www.1proline.com](http://www.1proline.com)